


BODY DIMENSION DRAWINGS

ENGINE COMPARTMENT

(Three-Dimensional Distance)



HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (Seen from rear).

mm (in.)


Vehicle Dimensions Left ↔ Right

	A-C or a-c	B-D or b-d	B-I or b-l	B-L or b-l	C-L or c-l
J-J 846 (33.31)	275 (10.83)	1,422 (55.98)	496 (19.53)	1,251 (49.25)	387 (15.24)
					184 (7.24)

Symbol	Name	Symbol	Name	Hole dia.	Hole dia.
A, a	Front fender installation nut - front	G, g	Front fender apron extension standard hole	6 (0.24) nut	10 (0.39)
B, b	Front spring support hole - inner	H, h	Radiator upper support installation nut	11 (0.43)	6 (0.24) nut
C, c	Front fender installation nut - rear	I, i	Radiator support standard hole	6 (0.24) nut	10 (0.39)
D	Cowl top inner panel center mark	J, j	Front crossmember side gusset standard hole	—	8 (0.31)
E, e	Front side member standard hole	K, k	Front upper crossmember standard hole	18 (0.71)	10 (0.39)
F	Front side member standard hole	L, l	Hood hinge installation nut - rear	10 (0.39)	8 (0.31) nut
f	Engine mounting installation nut	—	—	10 (0.39) nut	—

BODY OPENING AREAS (Side View)

(Three-Dimensional Distance)



HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle(Seen from rear).

Vehicle Dimensions Left ↔ Right

E-e	F-f	G-g	H-h	I-i	J-j	K-k
1,240 (48.82)	1,441 (56.73)	1,444 (56.85)	1,444 (56.85)	1,071 (42.17)	1,249 (49.17)	1,439 (56.65)


E-f or e-F	E-h or e-H	E-i or e-J	F-j or f-J	F-k or f-K	G-h or g-H	H-i or h-I	J-k or j-K
1,518 (59.76)	1,603 (63.11)	1,467 (57.76)	1,865 (73.43)	1,821 (71.69)	1,545 (60.83)	1,525 (60.04)	1,473 (57.99)

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Roof panel / Front body pillar adjoining portion	—	G, g	Rocker panel assembly mark	—
B, b	Cowl inner panel / Front body pillar adjoining portion	—	H, h	Rocker panel assembly mark	—
C, c	Front door hinge installation nut - rear	8 (0.31) nut	I, i	Roof side rail assembly mark	—
D, d	Front door hinge installation nut - rear	8 (0.31) nut	J, j	Quarter panel assembly mark	—
E, e	Front body pillar assembly mark	—	K, k	Quarter panel assembly mark	—
F, f	Front body pillar assembly mark	—	—	—	—

BODY OPENING AREAS (Rear View)

(Three-Dimensional Distance)




HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (Seen from rear).

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Roof side rail assembly mark	—	D, d	Back door opening trough / Quarter panel adjoining portion	—
B, b	Back door hinge installation hole	12 (0.47)	E, e	Rear floor finish plate installation hole	8.5 (0.335)
C, c	Quarter panel upper rear extension / Quarter panel adjoining portion	—	F, f	Rear spring support hole	12 (0.47)

mm (in.)

UNDER BODY

(Three-Dimensional Distance)



Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Front lower crossmember standard hole	15 (0.59)	G, g	Rear floor side member standard hole	25 (0.98)
B, b	Front side member standard hole	18 (0.71)	H, h	Lower arm installation nut	12 (0.47) nut
C, c	Front suspension member installation hole - front	18 (0.71)	I, i	Rear suspension member installation nut	10 (0.39) nut
D, d	Front suspension member installation nut - rear	14 (0.55) nut	J, j	Rear suspension member installation nut	14 (0.55) nut
E, e	Front side member standard hole	18 (0.71)	K, k	Transport hook installation nut	10 (0.39) nut
F, f	Front floor under reinforcement standard hole	10 (0.39)	—	—	—

UNDER BODY (Cont'd)

